



GB04/02565

INVESTOR IN PEOPLE

The Patent Office
 Concept House
 Cardiff Road
 Newport
 South Wales
 NP10 8QQ

REC'D 28 OCT 2004

WIPO

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 18 October 2004

PRIORITY DOCUMENT
 SUBMITTED OR TRANSMITTED IN
 COMPLIANCE WITH
 RULE 17.1(a) OR (b)

BEST AVAILABLE COPY



17JUN03 E815555-1 C18036
P01/7700 0:00 0313996.1

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference WB-100
2. Patent application number 0313996.1 17 JUN 2003
(The Patent Office will fill in this part)
3. Full name, address and postcode of the or of each applicant (underline all surnames)
BRIAN HARTLEY
12, OAKLEY AVE.
BROCKWELL
CHESTERFIELD
S40 4DS
5725627002
Patents ADP number (if you know it)
If the applicant is a corporate body, give the country/state of its incorporation
4. Title of the invention MOTOR POWERED WHEELBARROW
5. Name of your agent (if you have one)
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)
AS ABOVE
Swindell & Pearson
48 Friar Gate
Derby
DE1 1G4 1578001
Patents ADP number (if you know it)
6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number
Country UK Priority application number (if you know it) Date of filing (day / month / year)
7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application
Number of earlier application Date of filing (day / month / year)
8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:
a) any applicant named in part 3 is not an inventor, or
b) there is an inventor who is not named as an applicant, or
c) any named applicant is a corporate body.
See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

4 -

Claim(s)

Abstract

Drawing(s)

5 DRAWINGS ON 3 PAGES + 3

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

B. Hartley

Date

16/6/03

12. Name and daytime telephone number of person to contact in the United Kingdom

01246 - 550047

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

MOTOR POWERED WHEELBARROW

Wheelbarrows are well-known; they are used to transport materials from one place to another.

The type referred to has one wheel at the front and two handles at the rear.

The Wheel at the front can jam when heavy objects are being transported over rough ground, also the wheelbarrow can be hard to push up hill or when negotiating steps, etc.

The present invention seeks to overcome the problems by allowing the operator of a wheelbarrow to negotiate objects that the wheelbarrow may encounter, and manoeuvre it more easily.

An electric motor is fitted in a suitable position to allow a drive train to be connected to the wheel of the wheelbarrow. The drive train can consist of a belt operating on pulleys between the electric motor and the wheel; it may also consist of a chain or be shaft driven operating gears.

The following example is shown using cogs or toothed pulleys. A small cog or pulley is fitted to the end of the output shaft of a gearbox, which is driven by the electric motor. A second toothed pulley, which is larger, is fitted to the wheel on the wheelbarrow. A third pulley can be fitted if required between the first two pulleys and this can be adjusted to keep sufficient tension on a belt which is placed over the first two mentioned toothed pulleys, so that the belt does not slip.

A battery is fitted in a suitable position on the wheelbarrow and this can be protected by a cover. The battery is connected to a suitable switch which is fitted to one of the handles of the wheelbarrow, and this can also contain a rheostat if required, it is then connected to the electric motor. Suitable strong cable is fitted between the various electrical components and it can be threaded through the frame of the wheelbarrow. A

suitable battery can be fitted according to the voltage operating requirements of the electric motor.

A changeover switch can also be fitted in a suitable position on the wheelbarrow to change the polarity of the wiring, so that the electric motor can be reversed should the wheelbarrow require to be moved backwards, although the operator should still be able to do this by pulling it backwards when the electric motor is switched off. There may be a slight resistance when doing this, although when the electric motor is switched off it may act as a brake when the wheelbarrow is being wheeled down a hill.

Embodiments of the present invention will now be described by way of example only, with reference to the accompanying drawings, in which:

Fig 1. is a side view of a typical wheelbarrow

Fig 2. is a view of Fig 1, and showing the modifications that have been made

Fig 3. is a side view of the drive train casing

Fig 4. is a view from above of the drive train casing

Fig 5. shows the two toothed drive pulleys and belt

Referring to Fig 1

This is a side view of a typical wheelbarrow 10, showing a container 11, a support frame 12, and a wheel 13, a pair of handles 13a, (only one is shown), and two bearings 14a, (only one is shown) to support the wheel.

Referring to Fig 2

This shows the wheelbarrow 10, which has been modified to make it power driven. A casing 14, has been fitted between the frame 12, and the container 11, a flat plate 15, is sandwiched between the two, and four bolts 16, used to secure it. The casing 14, covers the two cogs 32 and 34, and drive belt 35, Fig 5, and the electric motor 17, Fig 4, is bolted to it. The lower section of the casing 14, is bolted 18, to the frame 12, of the

wheelbarrow. A battery box 19, is fixed below the container 11, and a lid 20, which is secured to the box 19, with screws 21. Inside the box 19, is a battery (not shown). A momentary switch 22, is fitted to one of the handles 13a, of the wheelbarrow 10, and this has a cover 23, to protect the switch 22, from any water or dirt that may affect the operation of the switch. Wiring 24, is threaded through a hole (not shown) in the support frame of the wheelbarrow 10, and this is connected between the switch 22, the battery in the box 19, and the electric motor 17.

Referring to Fig 3

This shows the casing 14, that supports and covers the drive train shown in Fig 5. a flat plate 15, is welded or moulded to a box section 25, Fig 4, this has a hole 26, for the drive shaft of the gearbox which is connected to the electric motor 17, Fig 4, to pass through, and a larger hole 27, for the drive to the wheel 13 Fig 1, to pass through. A cover plate 28, is held in place by nine screws 29.

Referring to Fig 4

This shows the casing 14, from above showing the four bolt holes 30, at each corner of the plate 15, for screws 16, Fig 2, to pass to secure it to the frame 12, Fig 2. The electric motor 17, is secured to the box section 25, below the plate 15. Four threaded rods 31, (only 2 shown) pass through a hole 27, in the opposite end of the casing to the electric motor 17, and these are used to secure the large drive cog 32, Fig 5, using the four holes 33 in the cog for this purpose using two nuts at one end of the threaded rods 31. Four holes are drilled in the barrow wheel (not shown) for the other ends of the four threaded rods 31, to fit through and these are secured by the two nuts at the end of each threaded rod 31.

Referring to Fig 5

This shows the drive from the electric motor 17, Fig 4, to the wheelbarrow wheel 13, Fig 1. It consists of a cog 34, which is fitted onto the drive shaft of the gearbox fitted to the electric motor, and a larger cog 32, which is secured to the wheel 13, of the

wheelbarrow. A toothed belt 35, is used to make the drive connection between the two. When the connection is made between the switch 22, Fig 2, by the operator lifting the wheelbarrow using the handles 13, Fig 1, and pressing it, the electric motor 17, Fig 4, powers the wheelbarrow forward. This will occur whilst the battery is charged. If it is required to manoeuvre the wheelbarrow 10, for some distance backwards a switch 36 is fitted to the side of the battery box 19, Fig 2, and this can be used to reverse the polarity of the connection to the electric motor 17.

Whilst endeavouring in the foregoing specification to draw attention to those features of the invention believed to be of particular importance, it should be understood that the Applicant claims protection in respect of any patentable feature or combination of features hereinbefore referred to and/or shown in the drawings whether or not particular emphasis has been placed thereon.







FIG. 1



PCT/GB2004/002565



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.